

Technical Data Sheet

FUEL STABILIZER

1. General description

Controls and reduces the formation of gum, varnish and peroxides during storage of diesel and gasoline.

2. Features

- Reduces gum and varnish in carburetors and fuel system parts.
- Reduces oxidation of fuel even when in contact with bronze fittings in the fuel system.
- Provides corrosion protection.
- Can be used in 2 and 4 cycle engines. In 2 cycle engines also add the normal 2 cycle oil separately to the fuel.

3. Applications

- A fuel stabilizer suitable for gasoline and diesel fuel.
- The gasoline application is primarily for small engines and for prolonged storage of vehicles.
- Can be used to meet the "Premium Diesel" definitions for:
- 1. ASTM D2274 Stability during fuel storage.
- 2. Thermal Fuel Stability using the 180 minute, 150°C Oxidation Test.
- 3. Corrosion Protection ASTM D665A or ASTM D665B.

4. Directions

- Mount the spout on the can.
- Pour the complete content of the can into an almost empty fuel tank. Dose is sufficient for one passenger car.
- Fill up the fuel tank as outlined in the users' manual of the engine.
- A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.

5. Typical product data (without propellant)

Appearance Liquid.
Color Coloured.

Odor Characteristic odor. Density 0.787 g/cm3 (@ 20°C). Flash Point 38 °C (Closed Cup)

Remarks

All statements in this publication are based on service experience and/or laboratory testing. Because



Technical Data Sheet

FUEL STABILIZER

of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC_RED-FUEL_STABILIZER-20181113

Date 13/11/2018



Tel. +32 (0)52 45 60 11